

FT-05SNIFF**SIGNAL HEARING DEVICE**

It listens the signals of Wipelot devices in the area.

It updates Wipelot devices remotely.

It makes parameter update operations in Wipelot devices.

ACTIVE USED SECTORS

- Agriculture
- Construction
- Production
- Health
- Mining
- Automotive
- Logistics
- White Goods

**APPLICABLE MODULES**

- Real Time Person/Equipment Tracking System
- Social Distancing System
- Lone Worker System
- Safezone Collision Avoidance System

GENERAL FEATURES

- Data can be monitored by connecting to computer with USB communication.

FT-05SNIFF

 SIGNAL HEARING DEVICE

TECHNICAL FEATURES	
Data Communication	RF, UWB
Working Method	TOF, RSSI
Range	-
Pulse Period	-
LED Indicators	-
Sensors	-
Communication Frequency	2.4 GHz Standard / 4.24 - 4.74 GHz UWB
Antenna Type	Ufl Flat Patch-2.8dbi
RF Power	0 dBm - 22 dBm
Protocol	IEEE 802.15.4 - IEEE 802.15.4 a WPAN
Security	128 bit AES (optional)

PHYSICAL FEATURES	
Dimensions	100 mm x 67 mm x 22 mm
Weight	85 gr (with cable)
Working Temperature	0 C / 70 C
Relative Humidity	0 - 95%, non-condensing
Protection Class	-
Shock Resistance	-
Case	ABS
Battery	-
Estimated Battery Life	-

OTHER FEATURES	
DC Operating Voltage	5V DC
AC Operating Voltage	-
Remote Firmware Update	Yes
Communication Interface	USB
I/O Interface	USB Cable
Certification	-



NEW GENERATION INDUSTRIAL IoT & RTLS SOLUTIONS

Real time equipment, employee,
vehicle location and status tracking
in industrial environments

**Make better operational
assets, secure equipments,
and smarter tools**

Increase overall operational efficiency and
make your workplace safer with Wipelot IoT



Asset & Equipment Monitoring

Track real time status and location of motorized
or non-motorized vehicles and equipments



Employee Monitoring

Track employee locations with centimeter
sensitivity both indoor and outdoor



Work Safety

Prevent forklift-to-employee collisions,
monitor a person's instant actions such as
free falling, stop moving or fainting



Monitoring Environment Parameters

Monitor gas, dust, temperature-humidity-light
levels wirelessly

CONTACT US

General Ali Rıza Gürçan Cad. Alparslan İş Merkezi
No:27 Kat:4 D:15 Merter / İSTANBUL



+90 212 481 96 22
+90 212 481 96 23



info@wipelot.com
www.wipelot.com